

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

LISTING SERVICE

LISTING No. 7272-1429:115

Page 1 of 1

CATEGORY: Photoelectric Smoke Detector

LISTEE: Secutron, Div. of Digital Security Controls LTD, 3301 Langstaff Rd, Ontario Canada L4K 4L2
Contact: Paul Mattern (978) 731-8542 Fax (978) 731-8881

DESIGN: Models MRI-2251, -2251T, -2251TM, -2251B, -2251TB and -2251TMB photoelectric smoke detector. Models MRI-2251T, -2251TM, -2251TB and -2251TMB employ a 135°F supplement integral heat sensor which only assists in a fire situation. This thermal circuitry is NOT approved for use in lieu of a required heat detector. Refer to listee's data sheet for detailed product description and operational considerations.

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name, model number, electrical rating and UL label.

APPROVAL: Listed as photoelectric smoke detectors when used in conjunction with listee's separately listed compatible fire alarm control units and bases. Suitable for open areas with air velocity between 0-4000 fpm. Models MRI-2251, -2251B, -2251TB and -2251TMB also are suitable for installation inside ducts with a maximum air velocity of 4000 fpm.

NOTE: The photoelectric type detectors are generally more effective at detecting slow, smoldering fires which smolder for hours before bursting into flame. Sources of these fires may include cigarettes burning in couches or bedding. The ionization type detectors are generally more effective at detecting fast, flaming fires that consume combustible materials rapidly and spread quickly. Sources of these fires may include paper burning in a waste container or a grease fire in the kitchen.

XLf: 7272-1209:160

11-01-2002



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued:

JUNE 22, 2004

*Listing Expires **June 30, 2005***

Authorized By:

DIANE K. AREND, Senior Deputy
Program Manager